

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|------------------------------|------------------|---------|------------------|
| L1 | 73 | (stimulation adj electrode) and (titanium adj nitride) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L2 | 1287 | (607/122).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/10/26 13:10 |
| L3 | 57 | (607/121).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/10/26 13:10 |
| L4 | 274 | (607/119).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/10/26 13:10 |
| L5 | 717 | (607/116).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/10/26 13:10 |
| L6 | 199 | iridium and 21% and ((weight or "wt.") or "wt." % or weight %) and electrode | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L7 | 200 | iridium and (21% or (twenty adj one adj percent))and ((weight or "wt.") or "wt." % or weight %) and electrode | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L8 | 1 | (stimulation adj electrode) and (stainless adj steel) and (ceramic adj layer) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L9 | 1 | (L2 or L3 or L4 or L5) and (oxynitride) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L10 | 1 | L7 not L6 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L11 | 1 | (L2 or L3 or L4 or L5) and oxynitride | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L12 | 3 | ((("6298272") or ("4440178") or ("5683443")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/10/26 13:10 |
| L13 | 22 | ("4508598" "4662382" "4677989" "4679572" "4717581" "4762136" "4784161" "4830006" "4858623" "4913164" "4919135" "4922927" "5074313" "5178957" "5181526" "5203348" "5230337" "5246014" "5267564" "5298280" "5318572" "5330521").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |

| | | | | | | |
|-----|-----|--|------------------------------|----|-----|------------------|
| L14 | 74 | (stimulation adj electrode) and (oxide adj layer) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L15 | 12 | Skalsky.in. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L16 | 57 | (607/121).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/10/26 13:10 |
| L17 | 7 | (L2 or L3 or L4 or L5) and (ceramic adj layer) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L18 | 67 | L14 and thickness | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L19 | 8 | L1 and L14 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L20 | 5 | (L2 or L3 or L4 or L5) and platinum and ((parts adj per adj million) or ppm) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L21 | 9 | platinum NEAR8 ("100" adj ((parts adj per adj million) or ppm))) and electrode and iridium | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L22 | 7 | Gibbs.in. and Jones.in. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L23 | 10 | Gibbs.in. and electrode and platinum | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L24 | 47 | (L2 or L3 or L4 or L5) and (oxide) and (titanium or niobium or tantalum or zirconium or aluminum or silicon) and ceramic | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L25 | 199 | iridium and 21% and ((weight or "wt.") or "wt." % or weight %) and electrode | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L26 | 200 | iridium and (21% or (twenty adj one adj percent))and ((weight or "wt.") or "wt." % or weight %) and electrode | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L27 | 274 | (607/119).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/10/26 13:10 |
| L28 | 233 | (L2 or L3 or L4 or L5) and (stimulation adj electrode) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |

| | | | | | | |
|-----|------|---|------------------------------|----|-----|------------------|
| L29 | 266 | (L2 or L3 or L4 or L5) and (oxide) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L30 | 231 | (L2 or L3 or L4 or L5) and oxide and insulat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L31 | 224 | (L2 or L3 or L4 or L5) and oxide and insulat\$3 and electrode | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L32 | 220 | (L2 or L3 or L4 or L5) and (oxide) and (titanium or niobium or tantalum or zirconium or aluminum or silicon) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L33 | 468 | (L2 or L3 or L4 or L5) and (platinum adj iridium) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L34 | 661 | iridium and 21% and ((weight or "wt.") or "wt." % or weight %) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L35 | 717 | (607/116).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/10/26 13:10 |
| L36 | 897 | (L2 or L3 or L4 or L5) and (stainless adj steel) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/26 13:10 |
| L37 | 1287 | (607/122).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/10/26 13:10 |